SIC

Schnell Innovativ Clever

Catalog 2023

Manufacturer-related monitor mounts - Philips I GE I Dräger

Made In Germany

3 year warranty

SIC
Schnell Innovativ Clever

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Table of contents

Modular fastening system „fixITeasy“ 2

Mounts for Philips-monitor *IntelliVue* **2**

MX 450 | MX 550 | MX 600 | MX 700 | MX 800 ..... **2**

MP 30 | MP 40 | MP 50 | X2 ..... **2**

On table or device **3**
On horizontal standard rail 25 x 10 or 35 x 8 mm **4**
On horizontal standard rail 25 x 10 or 35 x 8 mm **5**
On wall or carrier rail **6**
On GCX-profile **7**
On tube ∅ 36 – 40 mm **8**
On Cart | Mobile solution **9**
Attachment parts for K-26100 – PH **10**
On Cart with wooden pillar | Mobile Solution **11**
On bed frame | On horizontal standard rail 25 x 10 mm **12**
Universal clamp for X2- monitor | Satellite Rack **13**

Modular fastening system „fixITeasy“ 14

Mounts for GE- and Dräger-monitors **14**

Infinity | DASH | FM with direct adaption **15**
Infinity | DASH | FM with small support arm **16**
Infinity | DASH | FM with swivel arm Panthera **17**
On Cart | Mobile solution **18**
Attachment parts for K-26100 – GE-DR **19**

Mounts for GE-monitor up to 15 kg **20**

DASH | FM an bed frame or on standard rail **20**

Mounts for GE-monitor up to 15 kg **21**

B 20 | B 450 on bed frame or on standard rail **21**

Mount for Dräger-monitor up to 15 kg **21**

Delta | Gamma on bed frame or on standard rail **21**

Mount for GE-monitor up to 15 kg **22**

PRO CARE on bed or on standard rail **22**

Mounts for GE module box up to 8 kg **22**

Modulbox **22**

Modular fastening system „fixITeasy“ 23

Cable management | Accessories **23**

Conditions 24

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Modular fastening system „**fixITeasy**“

Mounts for Philips-monitor *IntelliVue*

MX 450 | MX 550 | MX 600 | MX 700 | MX 800
MP 30 | MP 40 | MP 50 | X2

Please note:
For monitor series IntelliVue
the **Philips „TableTopMount“** interface
must be ordered separately from your monitor supplier.

Mounting the „Philips TableTopMount“ interface on S.I.C support plate



Inserting the Philips monitor on interface "Philips TableTopMount“

Schnell Innovativ Clever

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Mounts for Philips-monitor IntelliVue up to 15 kg
On table or device

Monitor mount: rotatable ± 90°, tiltable ± 15°

Monitor + TableTopMount not included in the delivery

Item-no.	Description	Illustration
M-5013_B	**Carrier,** **adaptable to 78338A** on table With locking lever Color base plate: light grey Weight: 1,35 kg	
M-5100	**Carrier** **On table** Weight: 0,85 kg	
M-23397	**Carrier** **On device** Mounting via 4 self-locking screws M8 With counter plate: Hole pattern: 80x80 mm Weight: 1,5 kg	

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Mounts for Philips-monitor IntelliVue up to 15 kg
On horizontal standard rail 25 x 10 or 35 x 8 mm

Basic parts: Powder coated white

Standard rail and monitor + TableTopMount not included in the delivery

Item-no.	Description	Illustration
K-5760	**Direct attachment** Particularly easy to adjust Monitor mount: rotatable ± 90°, tiltable ± 10° Outreach: 352 mm Weight: 2,65 kg	
K-5756_LK	**Direct attachment** **with long node** Monitor mount: rotatable ± 90°, tiltable ± 15° Outreach: 205 mm Weight: 2,1 kg	
K-5756_LK_HST	**Direct attachment** **with long node and retaining bar** Monitor mount: rotatable ± 90°, tiltable ± 15° Outreach: 205 mm Weight: 2,95 kg	

SIC
Schnell Innovativ Clever

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Mounts for Philips-monitor IntelliVue up to 15 kg *
On horizontal standard rail 25 x 10 or 35 x 8 mm

Basic parts: Powder coated white

Standard rail and monitor + TableTopMount not included in the delivery

Item-no.	Description	Illustration
K-23410	**Small support arm** with cable channel With cable holder claw in white Outreach: 387 mm. Weight: 3,9 kg Load capacity: up to 15 kg	
K-23410_S	**Small support arm** with cable channel With long cable holder claw in white Outreach: 387 mm. Weight: 4,3 kg Load capacity: up to 15 kg	
K-22782	**Swivel arm Panthera** with brake, integrated cable channel and cable holder claw in white Adjustable counter balance, outreach 463 mm , height adjustment approx. 370 mm, swivel range +/- 37,5 ° Outreach max.: 640 mm. Weight: 7,3 kg Load capacity: 8-15 kg	
K-22782_S	**Swivel arm Panthera** with brake, integrated cable channel and cable holder claw in white Adjustable counter balance, outreach 463 mm, height adjustment approx. 370 mm, swivel range +/- 37,5 ° Outreach max.: 640 mm. Weight: 7,7 kg Load capacity: 8-15 kg	

* We produce order-related. Please tell us the weight of the monitor when you order.

Schnell Innovativ Clever

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Mounts for Philips-monitor IntelliVue up to 15 kg
On wall or carrier rail

Basic parts: Powder coated white

Carrier rail and monitor + TableTopMount not included in the delivery

Item-no.	Description	Illustration
K-5761	**Direct attachment** Particularly easy to adjust Monitor mount: rotatable ± 90°, tiltable ± 10° Outreach: 357 mm. Weight: 2,6 kg	
K-23416	**Small support arm** with cable channel With cable holder claw in white Monitor mount: rotatable ± 90°, tiltable ± 15° Outreach: 331 mm. Weight: 3,4 kg	
K-23411	**Small support arm** with cable channel With cable holder claw in white Monitor mount: rotatable ± 90°, tiltable ± 15° Outreach: 392 mm. Weight: 3,9 kg	
K-23411_S	**Small support arm** with cable channel With long cable holder claw in white Monitor mount: rotatable ± 90°, tiltable ± 15° Outreach: 392 mm Weight: 4,2 kg	

Schnell Innovativ Clever

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Mounts for Philips-monitor IntelliVue up to 15 kg
On GCX-profile

Basic parts: Powder coated white

GCX-profile and monitor + TableTopMount not included in the delivery

Item-no.	Description	Illustration
K-5763	**Direct attachment** Particularly easy to adjust Monitor mount: rotatable ± 90°, tiltable ± 10° Outreach: 337 mm Weight: 2,35 kg	
K-23413_LK	**Direct attachment** **with long node** With cable holder claw in white Monitor mount: rotatable ± 90°, tiltable ± 15° Outreach: 202 mm. Weight: 1,8 kg	
K-23413	**Small support arm** with cable channel With cable holder claw in white Monitor mount: rotatable ± 90°, tiltable ± 15° Outreach: 384 mm. Weight: 3,7 kg	
K-23413_S	**Small support arm** with cable channel With long cable holder claw in white Monitor mount: rotatable ± 90°, tiltable ± 15° Outreach: 384 mm Weight: 4 kg	

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Mounts for Philips-monitor IntelliVue up to 15 kg
On tube ∅ 36 – 40 mm

Basic parts: Powder coated white

Tube and monitor + TableTopMount not included in the delivery

Item-no.	Description	Illustration
K-5762 - RD38	**Direct attachment** Particularly easy to adjust Monitor mount: rotatable ± 90°, tiltable ± 10° Outreach: 348 mm Gewicht: 2,3 kg	
K-23422	**Small support arm** with cable channel With cable holder claw in white Monitor mount: rotatable ± 90°, tiltable ± 15° Outreach: 384 mm Weight: 3,5 kg	
K-23422_S	**Small support arm** with cable channel With long cable holder claw in white Monitor mount: rotatable ± 90°, tiltable ± 15° Outreach: 384 mm Weight: 3,8 kg	

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Mount for Philips medical devices up to 15 kg
On Cart | Mobile solution

Basic parts: Powder coated white

Item-no.	Description	Illustration
K-26100 – PH	**Mobile stand-workplace, base unit** Suitable for working with PHILIPS- medical devices Monitor holder tiltable ±15° For fastening and expanding additional module boxes and any components Continuous grooves; so components can be placed at any height Integrated cable management Easy to clean Total height: 1225 mm Cross base ∅ 640 mm, with double castors ∅ 80 mm, free movable, 3 castors lockable Color: Pure white matt Weight: approx. 7,2 kg	Monitor + TableTopMount not included in the delivery

Illustration: Example with Philips-monitor IntelliVue,
attached standard rail L = 500 mm,
double cable holder and sterile goods basket.

➔ See attachment parts, next page

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Attachment parts for K-26100 – PH

Item-no.	Description	Illustration
M-26093	**Standard rail 25 x 10 x 300 mm** To mount on lift-profile Weight: 0.6 kg Color: Pure white matt + silver	
M-26095	**Standard rail 25 x 10 x 500 mm** To mount on lift-profile Weight: 0.75 kg Color: Pure white matt + silver	
M-26092	**Double cable holder** To mount on lift-profile Dimensions: W 405 x D 130 mm Weight: 0.7 kg Color: Pure white matt	
M-20146	**Sterile goods basket** To mount on lift-profile Dimensions: W 300 x D 200 x H 100 mm Weight: 0,5 kg Color: Chrome	

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Mount for Philips-monitor up to 25 kg
On Cart with wooden pillar | Mobile Solution

Basic parts: Powder coated white

Item-no.	Description	Illustration
K-21898_H	**Cart,** **antimagnetic version,** **with wooden column** **and mount for monitor** Wooden column: length 1040 mm, beech wood, base Ø 140 mm / column Ø 90 mm Roller base with double castors: antimagnetic, castors Ø 100 mm, free movable, 2 lockable at the front Width: 370 mm, depth: 480 mm Mount for heavy monitor: Stainless steel, VESA standard 75 / 100 mm, with pipe clamp, tiltable: ± 15°, rotatable 360° on wooden column, height adjustment via wing nuts on the clamp Total height: approx. 1300 mm Weight: 17 kg Load capacity: **up to 25 kg**	

Illustration: With monitor
(Monitor not included in the delivery)

SIC
Schnell Innovativ Clever

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Basic parts: Powder coated white

Mounts for Philips-monitor up to 12 kg
On bed frame | On horizontal standard rail 25 x 10 mm

Item-no.	Description	Illustration
M-20287	**To hook in monitor IntelliVue** **on bed frame with tubular rods up to ∅ 40 mm** or **on horizontal standard rail 25 x 10 mm** Dimensions approx.: W 265 x D 260 x H 215 mm Suspension: POM white Weight: 1,1 kg Load capacity: up to 12 kg	 Illustration with TableTopMount (Not included in the delivery)  Illustration: With monitor on bed frame (Monitor not included in the delivery)
M-20284	**To hook in Monitor X2** **on bed frame with tubular rods up to ∅ 40 mm** or **on horizontal standard rail 25 x 10 mm** Dimensions approx.: W 166 x D 200 x H 180 mm Suspension: POM white 2x mounting holes ∅ 4.4 mm, incl. screws for mounting monitor X2 Weight: 0,75 kg Load capacity: up to 12 kg	 Illustration: With monitor on bed frame (Monitor not included in the delivery)

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Mounts for Philips-monitor
Universal clamp for X2- monitor | Satellite Rack

Item-no.	Description	Illustration
M-5190	**Universal clamp for monitor X2** **on tube ∅ 25 up to ∅ 38 mm** or **on standard rail 25 x 10 or 35 x 8 mm** Turnable ± 90°, tiltable ± 90° Dimensions (without star grip) approx.: L 60 x W 74 x H 34 mm 2x mounting holes ∅ 4.4 mm, incl. screws for mounting monitor X2 Basic parts: Aluminum natural anodized Weight: 0,15 kg. Load capacity: **up to 5 kg**	 Illustration: Mounted on monitor X2 (Monitor not included in the delivery)
K-5774	**Satellite Rack** **On horizontal standard rail 25 x 10 or 35 x 8 mm** Rod: ∅ 20 mm, length: 195 mm Basic parts: Powder coated white Outreach: 90 mm Weight: 1,65 kg Load capacity: **up to 15 kg**	

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Modular fastening system „**fixITeasy**“

Mounts for GE- and Dräger-monitors

Interfaces: Support plates S.I.C (Examples

Inserting GE- or Dräger-monitor to support plate S.I.C with quick release



Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Mounts for GE- and Dräger-monitors up to 18 or 12 kg

Basic parts: Powder coated white

Infinity | DASH | FM with direct adaption

Monitor mount: rotatable ± 90°, tiltable ± 15°, with quick release (locking bolt)

Monitor not included in the delivery

Item-no.	Description	Illustration
M-21598	**On table** With stand plate in white Dimensions approx.: L 250 x W 280 x H 5 mm Weight: 3,1 kg Load capacity: **up to 18 kg**	
M-21400_LK	**On standard rail 25 x 10 or 35 x 8 mm** With cable holder claw in white Outreach: 165 mm Weight: 2,1 kg Load capacity: **up to 12 kg**	
M-21401_LK	**On wall or carrier rail** With cable holder claw in white Outreach: 170 mm Weight: 2 kg Load capacity: **up to 12 kg**	
M-21402_LK_RD-38	**On tube ∅ 38 mm** With cable holder claw in white Outreach: 180 mm Weight: 2,25 kg Load capacity: **up to 12 kg**	
M-21399_LK	**On GCX-rail** With cable holder claw in white Outreach: 150 mm Weight: 1,85 kg Load capacity: **up to 12 kg**	

SIC
Schnell Innovativ Clever

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Mounts for GE- and Dräger-monitors up to 12 kg

Basic parts: Powder coated white

Infinity │DASH│FM with small support arm

Monitor mount: rotatable ± 90°, tiltable ± 15°, with quick release (locking bolt)
Small support arm with cable channel, L = 266 mm. With cable holder claw in white

Monitor not included in the delivery

Item-no.	Description	Illustration
M-21370_WS	**On horizontal standard rail 25 x 10 mm or 35 x 8 mm** Outreach: 348 mm Weight: 3,9 kg	
M-21371_WS	**On wall or carrier rail** Outreach: 353 mm Weight: 3,8 kg	
M-21372_WS	**On tube ∅ 38 mm** Outreach: 373 mm Weight: 3,4 kg	
M-21373_WS	**On GCX-profile** Outreach: 340 mm Weight: 3,6 kg	

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Mounts for GE- and Dräger-monitors 8 up to 15 kg

Basic parts: Powder coated white

Infinity │DASH│FM with swivel arm Panthera

Monitor mount: rotatable ± 90°, tiltable ± 13°, with quick release (locking bolt).
Swivel arm Panthera: outreach 463 mm, hight adjustment: 370 mm, counterbalance adjustable.
With clamping device and integrated cable channel. Cable completely guided in system.
Passage opening inside: d 28 mm. Hinge covers in white.
With cable holder claw in white.

Monitor not included in the delivery

Artikel-Nr.	Beschreibung	Abbildung
M-21386	**On horizontal standard rail 25 x 10 mm or 35 x 8 mm** With cable holder claw in white Outreach max.: 660 mm Weight: 7,3 kg 	
M-21386_S	**On horizontal standard rail 25 x 10 mm or 35 x 8 mm** With long cable holder claw in white Outreach max.: 660 mm Weight: 7,7 kg 	

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Mounts for GE and Dräger medical devices up to 12 kg
On Cart | Mobile solution

Basic parts: Powder coated white

Item-no.	Description	Illustration
K-26100 – GE-DR	**Mobile stand-workplace, base unit** Suitable for working with GE-and DRÄGER- medical devices Monitor holder tiltable ±15° For fastening and expanding additional module boxes and any components Continuous grooves; so components can be placed at any height Integrated cable management Easy to clean Total height: 1220 mm Cross base ∅ 655 mm, with double castors ∅ 80 mm, free movable, 3 castors lockable Color: Pure white matt Weight: approx. 7,2 kg	Monitor not included in the delivery



Illustration: Example with GE-monitor, attached standard rail L = 500 mm, double cable holder and sterile goods basket.

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Attachment parts for K-26100 – GE-DR

Item-no.	Description	Illustration
M-26093	**Standard rail 25 x 10 x 300 mm** To mount on lift-profile Weight: 0.6 kg Color: Pure white matt + silver	
M-26095	**Standard rail 25 x 10 x 500 mm** To mount on lift-profile Weight: 0.75 kg Color: Pure white matt + silver	
M-26092	**Double cable holder** To mount on lift-profile Dimensions: W 405 x D 130 mm Weight: 0.7 kg Color: Pure white matt	
M-20146	**Sterile goods basket** To mount on lift-profile Dimensions: W 300 x D 200 x H 100 mm Weight: 0,5 kg Color: Chrome	

Schnell Innovativ Clever

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Mounts for GE-monitor up to 15 kg
DASH | FM an bed frame or on standard rail

Basic parts: POM white
+ Powder coated white

Illustrations:
Left side: on bed frame
Right side: on standard rail
(Monitor not included
in the delivery)

To hook in monitor on bed frame with tubular rods up to ⌀ 40mm or on horizontal standard rail 25 x 10 mm

Item-no.	Description	Illustration
M-21404	Mount for **GE-monitor DASH** or **FM** Dimensions approx.: L 330 x W 265 x H 220 mm Monitor can be inserted from above Monitor mount with quick release fastener Weight: 1,4 kg	
M-21426	Mount for **GE-monitor DASH-4000** Dimensions approx.: L 330 x W 265 x H 220 mm Monitor can be inserted from above Monitor mount with quick release fastener Weight: 1,4 kg	
M-21597	Mount for **GE-monitor F-FMW-00** Dimensions approx.: L 330 x W 265 x H 220 mm Monitor can be pushed in from the side Securing by locking bolt Weight: 1,4 kg	

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Mounts for GE-monitor up to 15 kg
B 20 | B 450 on bed frame or on standard rail

Basic parts: POM white
+ Powder coated white

To hook in monitor on bed frame with tubular rods up to ⌀ 40mm or on horizontal standard rail 25 x 10 mm

Item-no.	Description	Illustration
M-21425	Mount for **GE-monitor B 20** Dimensions approx.: L 330 x W 265 x H 220 mm Monitor can be inserted from above Monitor mount with quick release fastener Weight: 1,4 kg	
M-21428	Mount for **GE-monitor B 450** Dimensions approx.: L 330 x W 265 x H 220 mm Monitor can be inserted from above Monitor mount with quick release fastener Weight: 1,4 kg	

Mount for Dräger-monitor up to 15 kg
Delta | Gamma on bed frame or on standard rail

To hook in monitor on bed frame with tubular rods up to ⌀ 40mm or on horizontal standard rail 25 x 10 mm

Item-no.	Description	Illustration
M-21586	Mount for **Dräger-monitor Delta** or **Gamma** Dimensions approx.: L 330 x W 265 x H 220 mm Monitor can be pushed in from the side Securing by locking bolt Weight: 2,2 kg	

SIC
Schnell Innovativ Clever

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Mount for GE-monitor up to 15 kg
PRO CARE on bed or on standard rail

Basic parts: POM white + aluminum natural anodized

Monitor not included in the delivery

Item-no.	Description	Illustration
M-21427	Mount for **GE-Monitor PRO CARE** **On tube ∅ 25 up to ∅ 38 mm** **or on standard rail 25 x 10 mm** Dimensions approx.: L 170 x W 200 x H 90 mm Clamp rotatable ± 90° Monitor fastening via screwing Weight: 0,9 kg	

Mounts for GE module box up to 8 kg
Modulbox on standard rail or on tube ∅ 25 mm

Basic parts: Powder coated white
+ natural anodized aluminum

Modules not included in the delivery

Item-no.	Description	Illustration
M-20187	Mount for **GE-module box** **On tube ∅ 25 mm** Dimensions approx.: L 260 x W 160 x H 165 mm Tube attachment with quick release fastener Weight: 0,9 kg	
M-20189	Mount for **GE-module box** **On horizontal standard rail 25 x 10 mm** **or on USA-standard rail** Dimensions approx.: L 215 x W 160 x H 53 mm Rigid attachment Weight: 0,8 kg	

SIC
Schnell Innovativ Clever

Phone: + 49 (0) 7452 89 787 0 - Fax: + 49 (0) 7452 89 787 19
E-mail: info@sic-design.de - Home: www.sic-design.de

Cable management | Accessories

Color: natural anodized / black / white

Standard rails not included in the delivery

Item-no.	Description	Illustration
K-21545_weiss	**Cable holder claw** fits on standard rail 25 x 10 mm or 35 x 8 mm Color: white Width: 46 mm Weight: 0,5 kg	 Illustration: mounted on standard rail
K-21555	**Cable holder claw with star knob clamping** Fits on standard rail 25 x 10 mm Color: white Width: 46 mm Weight: 0,7 kg	 Illustration: mounted on standard rail
M-20262 – 50_weiss	**Cable clip, 50 pieces,** white Width: 23 mm Weight: 0,4 kg (8 g /Piece)	
M-20262 – 100_weiss	**Cable clip, 100 pieces,** white Width: 23 mm Weight: 0,8 kg (8 g /Piece)	

Side view

Mounted on standard rail



Conditions

- Interface "Table Top Mount" (suitable for the corresponding IntelliVue monitor), available from your monitor supplier or directly from Philips.
- Combinations can be assembled according to customer´s request and individual needs.
- Development of product variants and custom-made products -> price on request.
- Delivery from the factory.
- Mechanical parts: 3-year manufacturer's guarantee (wear parts and gas springs excluded).
- Returns only in proper condition and original box. Extra coast: 25% net from value of goods.
- Standard color of plastic parts: white and black.
- Standard color of powder-coated parts: RAL 9010 pure white matt, fine-textured.
- Aluminum parts: natural anodized.
- Product may differ from the illustration.
- For all illustrations with devices: Devices not included in scope of delivery.
- All information without warranty.

Visit our website

www.sic-design.de